

# TIRE EXCHANGE PROGRAM

• RETURN FREIGHT NOT INCLUDED •



## Increase Your Green by Going Green

When you have to cut costs, trust only the JLG Tire Exchange Program for your telehandler tires. JLG now offers a low cost alternative for tires. The process of taking waste and creating new products benefits both the environment and the consumer.

### Features and Benefits Include:

- Save money while maintaining quality
- Increase productivity and reduce cost of operation with foam fill vs. pneumatic
  - Eliminate flat tires which eliminate down time
  - Longer tire life - two to five times longer than air filled tires
  - Eliminates or reduces frequent tire repair costs

### Environmental Benefits:

- Reduces the Carbon Footprint
- Process produces less Green House gas emissions
- Old tire/foam fill is recycled



### Ordering Process:

- Order an exchange assembly (wheel/tire)
- Upon receipt of the new assembly, ship your old assembly back to JLG (see page 2 for instructions to ship back core)
- Upon receipt of your old assembly, the tire carcass is cut off
- Rim is inspected for damage and cleaned for re-use
- New casing is put on and then filled with new foam

	MODELS	TIRE SIZE	DESCRIPTION	DIRECTIONAL	JLG PART NUMBER
JLG®	G6-42A, G9-43A	370/75-28	370/75-28 10 bolt Exchange Assy L/R	NO	1001121101EX
	G6-42A, G9-43A	15.5 X 25	RH 15.5x25 10 bolt Exchange Assy	YES	4520449EX
	G6-42A, G9-43A	15.5 X 25	LH 15.5x25 10 bolt Exchange Assy	YES	4520450EX
	G6-42A, G6-42P, G9-43A	13 X 24	RH 13x24 10 bolt Exchange Assy	YES	91475054EX
	G6-42A, G6-42P, G9-43A	13 X 24	LH 13x24 10 bolt Exchange Assy	YES	91475055EX
	G6-42P, G10-43A, G10-55A, G12-55A	14 X 24	RH 14x24 10 bolt Exchange Assy	YES	91355037EX
	G6-42P, G10-43A, G10-55A, G12-55A	14 X 24	LH 14x24 10 bolt Exchange Assy	YES	91355038EX
	G10-43A, G10-55A, G12-55A	400/75-28	400/75-28 10 bolt Exchange Assy L/R	NO	1001121105EX
	G10-55A, G12-55A	17.5 X 25	RH 17.5x25 10 bolt Exchange Assy	YES	91565040EX
	G10-55A, G12-55A	17.5 X 25	LH 17.5x25 10 bolt Exchange Assy	YES	91565039EX
SKYTRAK®	6036, 6042	13 X 24	RH 13x24 8 bolt Exchange Assy	YES	7139739EX
	6036, 6042	13 X 24	LH 13x24 8 bolt Exchange Assy	YES	7139740EX
	6036, 6042	370/75-28	370/75-28 8 bolt exchange assy L/R	NO	1001121112EX
	6036, 6042, 8042	13 X 24	RH 13x24 10 bolt Exchange Assy	YES	7139159EX
	6036, 6042, 8042	13 X 24	LH 13x24 10 bolt Exchange Assy	YES	7139160EX
	6036, 6042, 8042	15.5 X 25	RH 15.5x25 10 bolt Exchange Assy	YES	7139161EX
	6036, 6042, 8042	15.5 X 25	LH 15.5x25 10 bolt Exchange Assy	YES	7139162EX
	6036, 6042, 8042	370/75-28	370/75-28 10 bolt exchange assy L/R	NO	1001121085EX
	10042, 10054	17.5 X 25	RH 17.5x25 10 bolt Exchange Assy	YES	7139163EX
	10042, 10054	17.5 X 25	LH 17.5x25 10 bolt Exchange Assy	YES	7139164EX
	10042, 10054	400/75-28	400/75-28 10 bolt Exchange Assy L/R	NO	1001121104EX

Continues on page 2

## Order Today

Online: [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | Call: 1-877-554-5438 | Fax: 1-800-733-8939

### JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | T: 717-485-5161 | Toll-Free in US 877-JLG-LIFT

F: 717-485-6417 | [partsprograms@jlg.com](mailto:partsprograms@jlg.com)

[www.jlg.com](http://www.jlg.com)

An Oshkosh Corporation Company

# TIRE EXCHANGE PROGRAM

• RETURN FREIGHT NOT INCLUDED •



Continued from page 1

	MODELS	TIRE SIZE	DESCRIPTION	DIRECTIONAL	JLG PART NUMBER
LULL	644E-40	370/75-28	370/75-28 8 bolt Exchange Assy L/R	NO	1001121112EX
	644E-42, 944E-42	370/75-28	370/75-28 10 bolt Exchange Assy L/R	NO	1001121085EX
	944E-42	15.5 X 25	RH 15.5x25 10 bolt Exchange Assy	YES	7139161EX
	944E-42	15.5 X 25	LH 15.5x25 10 bolt Exchange Assy	YES	7139162EX
	1044C-54 SERIES II	14 X 24	RH 14x24 10 bolt Exchange Assy	YES	4520399EX
	1044C-54 SERIES II	14 X 24	LH 14x24 10 bolt Exchange Assy	YES	4520398EX
	1044C-54 SERIES II	400/75-28	400/75-28 10 bolt Exchange Assy L/R	NO	1001121104EX

### Core Return Requirement:

A core (wheel/rim) is required to be returned for each unit ordered. The core is required to be returned within 30 days or a \$250 core charge will be assessed for each unit not returned. Returned cores must be re-usable otherwise a core charge will be assessed.

### Warranty:

Limited 2 year supplier warranty. For specific warranty requirements or to make a claim, contact: [partsprograms@jlg.com](mailto:partsprograms@jlg.com).

### Freight:

JLG pays freight to customer, with the purchase of swap assemblies. Customer pays freight to return cores.

Ship to locations based on map below.

Assemblies received from one location should be shipped back to the same location.

**Orange:**  
Ship to/from Texas  
Blackstone/OTR  
c/o JLG CORE PROGRAM  
3131 Gholson Rd  
Waco, TX 76705

**Blue:**  
Ship to/From Pennsylvania  
Blackstone/OTR  
c/o JLG CORE PROGRAM  
910 Progress Road  
Chambersburg, PA 17201

NOTE: Returning used assemblies to any address other than the Blackstone/OTR addresses listed on the flyer, will result in being billed the freight to ship assemblies to the correct address.

## Order Today

Online: [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com)

Call: 1-877-554-5438 | Fax: 1-800-733-8939

### JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | T: 717-485-5161 | Toll-Free in US 877-JLG-LIFT

F: 717-485-6417 | [partsprograms@jlg.com](mailto:partsprograms@jlg.com)

[www.jlg.com](http://www.jlg.com)

An Oshkosh Corporation Company

# TIRE EXCHANGE PROGRAM

• ALL FREIGHT INCLUDED •



## Increase Your Green by Going Green

When you have to cut costs, trust only the JLG Tire Exchange Program for your telehandler tires. JLG now offers a low cost alternative for tires. The process of taking waste and creating new products benefits both the environment and the consumer.

### Features and Benefits Include:

- Save money while maintaining quality
- Increase productivity and reduce cost of operation with foam fill vs. pneumatic
  - Eliminate flat tires which eliminate down time
  - Longer tire life - two to five times longer than air filled tires
  - Eliminates or reduces frequent tire repair costs

### Environmental Benefits:

- Reduces the Carbon Footprint
- Process produces less Green House gas emissions
- Old tire/foam fill is recycled



### Ordering Process:

- Order an exchange assembly (wheel/tire)
- Upon receipt of the new assembly, ship your old assembly back to JLG (see page 2 for instructions to ship back core)
- Upon receipt of your old assembly, the tire carcass is cut off
- Rim is inspected for damage and cleaned for re-use
- New casing is put on and then filled with new foam

	MODELS	TIRE SIZE	DESCRIPTION	DIRECTIONAL	JLG PART NUMBER
JLG®	G6-42A, G9-43A	370/75-28	370/75-28 10 bolt Exchange Assy L/R	NO	1001121101EXF
	G6-42A, G9-43A	15.5 X 25	RH 15.5x25 10 bolt Exchange Assy	YES	4520449EXF
	G6-42A, G9-43A	15.5 X 25	LH 15.5x25 10 bolt Exchange Assy	YES	4520450EXF
	G6-42A, G6-42P, G9-43A	13 X 24	RH 13x24 10 bolt Exchange Assy	YES	91475054EXF
	G6-42A, G6-42P, G9-43A	13 X 24	LH 13x24 10 bolt Exchange Assy	YES	91475055EXF
	G6-42P, G10-43A, G10-55A, G12-55A	14 X 24	RH 14x24 10 bolt Exchange Assy	YES	91355037EXF
	G6-42P, G10-43A, G10-55A, G12-55A	14 X 24	LH 14x24 10 bolt Exchange Assy	YES	91355038EXF
	G10-43A, G10-55A, G12-55A	400/75-28	400/75-28 10 bolt Exchange Assy L/R	NO	1001121105EXF
	G10-55A, G12-55A	17.5 X 25	RH 17.5x25 10 bolt Exchange Assy	YES	91565040EXF
G10-55A, G12-55A	17.5 X 25	LH 17.5x25 10 bolt Exchange Assy	YES	91565039EXF	
SKYTRAK®	6036, 6042	13 X 24	RH 13x24 8 bolt Exchange Assy	YES	7139739EXF
	6036, 6042	13 X 24	LH 13x24 8 bolt Exchange Assy	YES	7139740EXF
	6036, 6042	370/75-28	370/75-28 8 bolt exchange assy L/R	NO	1001121112EXF
	6036, 6042, 8042	13 X 24	RH 13x24 10 bolt Exchange Assy	YES	7139159EXF
	6036, 6042, 8042	13 X 24	LH 13x24 10 bolt Exchange Assy	YES	7139160EXF
	6036, 6042, 8042	15.5 X 25	RH 15.5x25 10 bolt Exchange Assy	YES	7139161EXF
	6036, 6042, 8042	15.5 X 25	LH 15.5x25 10 bolt Exchange Assy	YES	7139162EXF
	6036, 6042, 8042	370/75-28	370/75-28 10 bolt exchange assy L/R	NO	1001121085EXF
	10042, 10054	17.5 X 25	RH 17.5x25 10 bolt Exchange Assy	YES	7139163EXF
	10042, 10054	17.5 X 25	LH 17.5x25 10 bolt Exchange Assy	YES	7139164EXF
	10042, 10054	400/75-28	400/75-28 10 bolt Exchange Assy L/R	NO	1001121104EXF

Continues on page 2

## Order Today

Online: [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | Call: 1-877-554-5438 | Fax: 1-800-733-8939

### JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | T: 717-485-5161 | Toll-Free in US 877-JLG-LIFT

F: 717-485-6417 | [partsprograms@jlg.com](mailto:partsprograms@jlg.com)

[www.jlg.com](http://www.jlg.com)

An Oshkosh Corporation Company

# TIRE EXCHANGE PROGRAM

• ALL FREIGHT INCLUDED •



Continued from page 1

	MODELS	TIRE SIZE	DESCRIPTION	DIRECTIONAL	JLG PART NUMBER
LULL	644E-40	370/75-28	370/75-28 8 bolt Exchange Assy L/R	NO	1001121112EXF
	644E-42, 944E-42	370/75-28	370/75-28 10 bolt Exchange Assy L/R	NO	1001121085EXF
	944E-42	15.5 X 25	RH 15.5x25 10 bolt Exchange Assy	YES	7139161EXF
	944E-42	15.5 X 25	LH 15.5x25 10 bolt Exchange Assy	YES	7139162EXF
	1044C-54 SERIES II	14 X 24	RH 14x24 10 bolt Exchange Assy	YES	4520399EXF
	1044C-54 SERIES II	14 X 24	LH 14x24 10 bolt Exchange Assy	YES	4520398EXF
	1044C-54 SERIES II	400/75-28	400/75-28 10 bolt Exchange Assy L/R	NO	1001121104EXF

### Core Return Requirement:

A core (wheel/rim) is required to be returned for each unit ordered. The core is required to be returned within 30 days or a \$250 core charge will be assessed for each unit not returned. Returned cores must be re-usable otherwise a core charge will be assessed.

### Note:

Please follow instructions below to schedule core pick up.

- 1) Band wheel/rim or complete assembly (2 per pallet maximum)
- 2) Select the weight of the pallet based on the choices below:
 

13x24	1678 lbs (2 assemblies)	17.5x25	2348 lbs (2 assemblies)
14x24	2100 lbs (2 assemblies)	370/75-28	1724 lbs (2 assemblies)
15.5X25	1936 lbs (2 assemblies)	400/75-28	2020 lbs (2 assemblies)
- 3) Call 855-212-0006 to schedule, **specifying that you are scheduling a pick up for the JLG Tire Core Program**
- 4) Provide the following information:
  - Pick-up Address
  - Shipping Hours
  - When Freight is Ready
  - Destination Address (see map)
  - Commodity Description
  - Number of Pallets
  - Total Weight (lbs)
  - Freight Class
  - Linear Feet Required
  - PO#

**Orange:**  
Ship to/from Texas  
**Blackstone/OTR**  
c/o JLG CORE PROGRAM  
3131 Gholson Rd  
Waco, TX 76705

**Blue:**  
Ship to/From Pennsylvania  
**Blackstone/OTR**  
c/o JLG CORE PROGRAM  
910 Progress Road  
Chambersburg, PA 17201

NOTE: Returning used assemblies to any address other than the Blackstone/OTR addresses listed on the flyer, will result in being billed the freight to ship assemblies to the correct address.

### Warranty:

Limited 2 year supplier warranty. For specific warranty requirements or to make a claim, contact: [partsprograms@jlg.com](mailto:partsprograms@jlg.com).

**Order Today**

**Online:** [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

JLG Industries, Inc  
1 JLG Drive | McConnellsburg, PA 17233-9533 | T: 717-485-5161 | Toll-Free in US 877-JLG-LIFT  
F: 717-485-6417 | [partsprograms@jlg.com](mailto:partsprograms@jlg.com)  
[www.jlg.com](http://www.jlg.com)

An Oshkosh Corporation Company



# CAT® TIRE EXCHANGE PROGRAM

• RETURN FREIGHT NOT INCLUDED •

# MaxQuip™

## Increase Your Green by Going Green - Tire Exchange for Caterpillar

When you have to cut costs, trust only the Tire Exchange Program for a low cost alternative for Caterpillar telehandler tires. The process of taking waste and creating new products benefits both the environment and the consumer.

### Features and Benefits Include:

- Save money while maintaining quality
- Increase productivity and reduce cost of operation with foam fill vs. pneumatic
  - Eliminate flat tires which eliminate down time
  - Longer tire life - two to five times longer than air filled tires
  - Eliminates or reduces frequent tire repair costs

### Environmental Benefits:

- Reduces the Carbon Footprint
- Process produces less Green House gas emissions
- Old tire/foam fill is recycled



### Ordering Process:

- Order an exchange assembly (wheel/tire)
- Upon receipt of the new assembly, ship your old assembly back to JLG (see below for instructions to ship back core)
- Upon receipt of your old assembly, the tire carcass is cut off
- Rim is inspected for damage and cleaned for re-use
- New casing is put on and then filled with new foam

CATERPILLAR MODELS	TIRE SIZE	DESCRIPTION	DIRECTIONAL	JLG PART NUMBER
TL642C, TL642D, TL943C, TL943D	13X24	RH 13x24 10 bolt Exchange Assy CAT	YES	91475054EXCP
TL642C, TL642D, TL943C, TL943D	13X24	LH 13x24 10 bolt Exchange Assy CAT	YES	91475055EXCP
TL642C, TL642D, TL943C, TL943D	15.5X25	RH 15.5x25 10 bolt Exchange Assy CAT	YES	4520449EXCP
TL642C, TL642D, TL943C, TL943D	15.5X25	LH 15.5x25 10 bolt Exchange Assy CAT	YES	4520450EXCP
TL642C, TL642D, TL943C, TL943D	370/75-28	370/75-28 10 bolt Assembly L/R CAT	NO	1001121101EXCP
TL943D, TL1055C, TL1055D, TL1255C, TL1255D	14X24	RH 14x24 10 bolt Exchange Assy CAT	YES	91355037EXCP
TL943D, TL1055C, TL1055D, TL1255C, TL1255D	14X24	LH 14x24 10 bolt Exchange Assy CAT	YES	91355038EXCP
TL1055C, TL1055D, TL1055D, TL1255D	17.5X25	RH 17.5x25 10 bolt Exchange Assy CAT	YES	91565040EXCP
TL1055C, TL1055D, TL1055D, TL1255D	17.5X25	LH 17.5x25 10 bolt Exchange Assy CAT	YES	91565039EXCP
TL1055C, TL1055D, TL1055D, TL1255D	400/75-28	400/75-28 10 bolt L/R Assembly CAT	NO	1001121105EXCP

## Order Today

Online: [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | Call: 1-877-554-5438 | Fax: 1-800-733-8939

### JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | [maxquip@jlg.com](mailto:maxquip@jlg.com)

[maxquip.jlg.com](http://maxquip.jlg.com)

An Oshkosh Corporation Company





# CAT® TIRE EXCHANGE PROGRAM

• RETURN FREIGHT INCLUDED •



## Increase Your Green by Going Green - Tire Exchange for Caterpillar

When you have to cut costs, trust only the Tire Exchange Program for a low cost alternative for Caterpillar telehandler tires. The process of taking waste and creating new products benefits both the environment and the consumer.

### Features and Benefits Include:

- Save money while maintaining quality
- Increase productivity and reduce cost of operation with foam fill vs. pneumatic
  - Eliminate flat tires which eliminate down time
  - Longer tire life - two to five times longer than air filled tires
  - Eliminates or reduces frequent tire repair costs



### Ordering Process:

- Order an exchange assembly (wheel/tire)
- Upon receipt of the new assembly, ship your old assembly back to JLG (see below for instructions to ship back core)
- Upon receipt of your old assembly, the tire carcass is cut off
- Rim is inspected for damage and cleaned for re-use
- New casing is put on and then filled with new foam

### Environmental Benefits:

- Reduces the Carbon Footprint
- Process produces less Green House gas emissions
- Old tire/foam fill is recycled

CATERPILLAR MODELS	TIRE SIZE	DESCRIPTION	DIRECTIONAL	JLG PART NUMBER
TL642C, TL642D, TL943C, TL943D	13X24	RH 13x24 10 bolt Exchange Assy CAT	YES	91475054EXFCP
TL642C, TL642D, TL943C, TL943D	13X24	LH 13x24 10 bolt Exchange Assy CAT	YES	91475055EXFCP
TL943D, TL1055C, TL1055D, TL1255C, TL1255D	14X24	RH 14x24 10 bolt Exchange Assy CAT	YES	91355037EXFCP
TL943D, TL1055C, TL1055D, TL1255C, TL1255D	14X24	LH 14x24 10 bolt Exchange Assy CAT	YES	91355038EXFCP
TL1055C, TL1055D, TL1055D, TL1255D	17.5X25	RH 17.5x25 10 bolt Exchange Assy CAT	YES	91565040EXFCP
TL1055C, TL1055D, TL1055D, TL1255D	17.5X25	LH 17.5x25 10 bolt Exchange Assy CAT	YES	91565039EXFCP

**Order Today**

Online: [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | Call: 1-877-554-5438 | Fax: 1-800-733-8939

### JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | [maxquip@jlg.com](mailto:maxquip@jlg.com)

[maxquip.jlg.com](http://maxquip.jlg.com)

An Oshkosh Corporation Company



